AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. 15. (Canceled)
- 16. (Currently Amended) The composition as claimed in claim <u>29</u> 15, comprising from 0.1 to 40% by weight of electrically conductive fillers relative to the total weight of the composition.
- 17. (Currently Amended) The composition as claimed in claim <u>29</u> 15, comprising from 0.1 to 70% by weight of impact modifiers relative to the total weight of the composition.
- 18. (Currently Amended) The composition as claimed in claim <u>29</u> 15, wherein the electrically conductive fillers are: carbon black, a metal, an antistatic agent, graphite, glass or a mineral filler coated with a metal layer.
- 19. (Currently Amended) The composition as claimed in claim <u>29</u> 15, wherein the electrically conductive fillers carbon black; carbon fibers; carbon spheres, carbon microspheres; carbon nanotubes; steel spheres, steel microspheres, steel fibers, aluminum spheres, aluminum microspheres, aluminum fibers or polyetheramides.
- 20. (Currently Amended) The composition as claimed in claim <u>29</u> 15, wherein the impact modifier is an elastomer.

- 21. (Currently Amended) The composition as claimed in claim <u>29</u> <u>15</u>, wherein the impact modifier is: ethylene-propylene copolymer (EP), ethylene-propylene-diene terpolymer (EPDM), styrene/maleic anhydride copolymers (SMA), ultra-low-density polyethylene (ULDPE), linear low-density polyethylene (LLDPE), styrene/ethylene-butadiene/styrene copolymer (SEBS), polypropylene (PP), acrylic elastomers (such as polyacrylic elastomers), ionomer elastomers, acrylonitrile-butadiene-styrene terpolymer (ABS) or acrylic-styrene-acrylonitrile terpolymer (ASA).
- 22. (Currently Amended) The composition as claimed in claim 29 15, wherein the thermoplastic polyamide matrix comprises is composed of at least one polyamide chosen from polyamides: 6; 6,6; 4,6; 6,10; 6,12; 11 and/or 12; or blends thereof;

copolyamides: 6/6,6; 6/6,9; 6/6,10; 6/6,18 and/or 6/6,36; or blends thereof; and/or

blends of polyamides: 6 and 6,6; 6 and 6/6,18; 6 and 6/6,36; 6 and 6/6,10; or blends thereof.

- 23. (Currently Amended) A process for producing the composition as defined in claim 29 15, comprising the steps of:
- a) blending at least one impact modifier with at least one electrically conductive filler, so as to obtain a masterbatch; and
- b) blending the masterbatch obtained in step a) with the thermoplastic at least one polyamide matrix.

24. - 26. (Canceled)

27. (Currently Amended) The composition as claimed in claim <u>29</u> 15, wherein at least 90% by weight of the electrically conductive filler is contained within the dispersed phase.

- 28. (Currently Amended) The composition of claim <u>29</u> 15, wherein at least 95% by weight of the electrically conductive filler is contained within the dispensed <u>dispersed</u> phase.
 - 29. (New) A composition comprising:
- a thermoplastic matrix consisting of a polyamide, a copolyamide, a blend of polyamides, or a blend of copolyamides; and
- a dispersed phase comprising at least one impact modifier, said dispersed phase containing at least one electrically conductive filler in an amount sufficient to provide the composition with a level of conductivity suitable for painting by a electrostatic technique.